

## IN THE CLAIMS

1. (currently amended) An electrokinetic pump, comprising:

a fluid flow channel disposed on a substrate, wherein said fluid flow channel is provided with fluid inlet and outlet means in fluid communication with said flow channel, and wherein said fluid flow channel is comprised of patterned microchannels;

an electrolyte contained within said fluid flow channel and in fluid communication with the patterned microchannels;

spaced electrodes disposed at on either end of said fluid flow channel and in contact with said electrolyte, wherein each of said spaced electrodes comprise a unitary electrode in physical contact with each of a plurality of parallel juxtaposed microchannels that comprise the patterned microchannels; and

means for applying an electric potential to said spaced electrodes.

2. (cancelled)

3. (currently amended) The electrokinetic pump of claim 2 1, wherein the microchannels are about 200 nm deep.

4. (currently amended) The electrokinetic pump of claim 2 1, wherein the microchannels are about 100  $\mu\text{m}$  wide.

5. (currently amended) The electrokinetic pump of claim 2 1, wherein the microchannels are spaced about 50  $\mu\text{m}$  apart.

6. (original) The electrokinetic pump of claim 1, wherein said electrolyte is an aqueous electrolyte solution.

7. (original) The electrokinetic pump of claim 1, wherein said electrolyte is a pure organic liquid.

8. (original) The electrokinetic pump of claim 7, wherein the pure organic liquid is selected from the group consisting of acetonitrile, methyl alcohol, ethyl alcohol and toluene.

9. (original) The electrokinetic of claim 1, wherein the electrolyte is a mixture of an aqueous electrolyte solution and a pure organic liquid.

10. (cancelled)

11. (original) The electrokinetic pump of claim 1, where the walls of the patterned microchannels are coated with a coating to enhance the density of surface charge and thereby improve electroosmotic flow or to manipulate the sign of the surface charge to control the direction of electroosmotic flow .



Certificate of Mailing Under 37 CFR §1.8

I hereby certify that this Correspondence and documents referred to herein were deposited with the United States Postal Service as first class mail addressed to: Commissioner of Patents, PO Box 1450, Alexandria, VA 22313-1450 on the date shown below.

Date of Deposit: 2-26-04

Person making Deposit Liz Martinez

Signature Liz Martinez

Application No: 09/916,717

For Applicant: Hencken